



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
09/661,361	08/20/2001	Dennis Michael Dearie	

CONFIRMATION NO. 8984

## WITHDRAWAL NOTICE



\*OC000000007307273\*

Dennis M Dearie  
Design Scan Inc  
15431 Red Maple Place  
Greenwell Springs, LA 70739

Date Mailed: 01/14/2002

## WITHDRAWAL OF PREVIOUSLY SENT NOTICE

The Notice mailed on 10/09/2001 was sent in error and is hereby withdrawn. A corrected Notice is enclosed. The time period for reply runs from the mail date of the corrected Notice. We apologize for any inconvenience this caused.

---

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/661,361	08/20/2001	Dennis Michael Dearie	

CONFIRMATION NO. 8984

## FORMALITIES LETTER



\*OC000000007307278\*

Dennis M Dearie  
Design Scan Inc  
15431 Red Maple Place  
Greenwell Springs, LA 70739

Date Mailed: 01/14/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).
- An abstract was not provided for this application. An abstract of the technical disclosure is required under 37 CFR 1.72(b).

---

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY